

## Mediterranean Marine Science

Vol. 21, 2020



### Social media: a valuable tool to inform shark conservation in Greece

TAKLIS CHRISTOS	BiodiversityGR, Liri, Pelion, Greece
GIOVOS IOANNIS	iSea, Environmental Organization for the Preservation of the Aquatic Ecosystems, Thessaloniki, Greece
KARAMANLIDIS ALEXANDROS	Alexandros Karamanlidis Wildlife Services, W.Warnaarlaan 25, Sassenheim, The Netherlands

<https://doi.org/10.12681/mms.22165>

Copyright © 2020 Mediterranean Marine Science



### To cite this article:

TAKLIS, C., GIOVOS, I., & KARAMANLIDIS, A. (2020). Social media: a valuable tool to inform shark conservation in Greece. *Mediterranean Marine Science*, 21(3), 493-498. doi:<https://doi.org/10.12681/mms.22165>

## Social media: a valuable tool to inform shark conservation in Greece

Christos TAKLIS<sup>1</sup>, Ioannis GIOVOS<sup>2</sup> and Alexandros A. KARAMANLIDIS<sup>3</sup>

<sup>1</sup> BiodiversityGR, Liri, Pelion, Greece

<sup>2</sup> iSea, Environmental Organization for the Preservation of the Aquatic Ecosystems, Thessaloniki, Greece

<sup>3</sup> Alexandros Karamanlidis Wildlife Services, W. Warnearlaan 25, Sassenheim, The Netherlands

Corresponding author: [akaramanlidis@gmail.com](mailto:akaramanlidis@gmail.com)

Handling Editor: Fabrizio SERENA

Received: 17 January 2020; Accepted: 23 June 2020; Published online: 31 August 2020

### Abstract

Sharks in the Mediterranean Sea are facing an elevated risk of extinction; several species are considered endangered and some have been reduced to such low population numbers that they are hard to detect through conventional monitoring methods. The recent emergence of new technologies, such as social media, makes it easier to collect and transmit information that may contribute to the conservation of endangered species. From 2017 – 2019 we carried out a project in Greece that searched social media (i.e. Facebook, Twitter and YouTube) postings with the aim of collecting data on the occurrence and basic biological parameters of sharks in the country and their interactions with fisheries. We recorded 116 social media postings referring to sharks in Greece, of which, 100 were identified to the lowest taxonomic level; sixty four percent of these postings referred to threatened sharks, while the majority of them referred to species that had not been evaluated for the Greek Red Data Book. Sharks occurred throughout the country, were often involved in negative fishery interactions and were rarely reported to have been released back to the sea. Endangered sharks were often misidentified as commercially valuable species. Our study highlights the importance of social media as a valuable tool in collecting baseline information, while identifying and/or focusing on important conservation issues about sharks in Greece.

**Keywords:** Citizen science; fisheries interactions; eastern Mediterranean Sea; species conservation.

### Introduction

Global biodiversity has been in constant decline recently (Butchart *et al.*, 2010); species extinction, and in particular, the loss of terrestrial and marine megafauna may have strong effects on ecosystem function (Malhi *et al.*, 2016). Among the taxonomic groups that have been strongly affected by the recent biodiversity crisis are sharks, that have experienced significant population losses globally (Davidson *et al.*, 2016). Shark populations in the Mediterranean Sea have been particularly impacted, as studies indicate that some species of large sharks might have declined 96 – 99.99% relative to their former abundance (Ferretti *et al.*, 2008), leading to 50% of all Mediterranean sharks and rays to face an elevated risk of extinction (Dulvy *et al.*, 2016). This is of particular conservation concern, due to the slow growth, late age of maturity and low fecundity of this taxonomic group (Myers & Worm, 2005). The principal extinction driver for sharks in the Mediterranean Sea is overfishing, with most species considered a valuable bycatch (Dulvy *et al.*, 2016).

The most recent update on the number of sharks inhabiting the southeastern part of the Mediterranean Sea (i.e., including Greece) has been reported as 42 (Dulvy *et al.*, 2016). However, there are concerns regarding this species list, due to misreports in scientific literature and the fact that some sharks species, either are currently absent from Greek waters, or in low densities and therefore not possible to be detected anymore during conventional monitoring surveys (Damalas & Megalofonou, 2012; Follesa *et al.*, 2019). So far, the lack of quantitative population assessments has impeded shark conservation in the Mediterranean Sea (Ferretti *et al.*, 2008). For most species, fisheries-dependent data may be considered the sole tool for obtaining important scientific information on sharks in Greece (Damalas & Megalofonou, 2010, 2012; Damalas & Vassilopoulou, 2011); it is therefore of utmost importance to consider other ways of collecting information on sharks in Greece, that will inform in a timely and scientifically-sound manner their conservation.

The emergence of new technologies that make it easier to collect and transmit information has enabled volunteers participating in citizen science programs to collect

**Table 1a.** Descriptive information of the social media postings on sharks collected in Greece (2017 – 2019), including the number (*N*) of postings, the species they referred to and their conservation status according to the IUCN threatened status and the Red Data book of Greece and the type of the encounter with the shark.

<i>N</i>	Species	IUCN Threatened Status Mediterranean assessment	Red Data Book Greece	Encounter type
<b>Threatened Species</b>				
4	<i>Alopias superciliosus</i>	Endangered	Not Evaluated	3 fishing, 1 stranded
5	<i>Alopias vulpinus</i>	Endangered	Vulnerable	5 fishing
2	<i>Carcharhinus plumbeus</i>	Endangered	Endangered	2 fishing
1	<i>Carcharodon carcharias</i>	Critically Endangered	Endangered	1 fishing
1	<i>Cetorhinus maximus</i>	Endangered	Vulnerable	1 swimming free
1	<i>Dalatias licha</i>	Vulnerable	Not Evaluated	1 fishing
14	<i>Isurus oxyrinchus</i>	Critically Endangered	Critically Endangered	10 fishing, 1 swimming free, 3 trade
1	<i>Lamna nasus</i>	Critically Endangered	Critically Endangered	1 fishing
14	<i>Mustelus mustelus</i>	Vulnerable	Not Evaluated	11 fishing, 1 swimming free, 2 trade
1	<i>Mustelus punctulatus</i>	Vulnerable	Not evaluated	1 fishing
2	<i>Odontaspis ferox</i>	Critically Endangered	Not Evaluated	2 fishing
3	<i>Oxynotus centrina</i>	Critically Endangered	Critically Endangered	3 fishing
15	<i>Prionace glauca</i>	Critically Endangered	Vulnerable	6 fishing, 1 stranded, 4 swimming free, 3 trade
<b>Near Threatened Species</b>				
1	<i>Scyliorhinus stellaris</i>	Near Threatened	Not Evaluated	1 fishing
<b>Least Concern Species</b>				
21	<i>Hexanchus griseus</i>	Least Concern	Not Evaluated	11 fishing, 1 stranded, 9 trade
7	<i>Scyliorhinus canicula</i>	Least Concern	Not Evaluated	2 fishing, 2 stranded, 3 trade
<b>Data Deficient Species</b>				
2	<i>Heptranchias perlo</i>	Data Deficient	Vulnerable	1 fishing, 1 trade
3	<i>Hexanchus nakamurai</i>	Data Deficient	Not Evaluated	1 fishing, 1 stranded, 1 trade
2	<i>Squalus blainville</i>	Data Deficient	Not Evaluated	2 fishing

more data and cover wider areas, faster than researchers alone would, and all of this at a lower cost (Dickinson *et al.*, 2012). These facts make citizen science programs indispensable to terrestrial and marine research and conservation efforts in Greece (Giovos *et al.*, 2016; Bonnet Lebrun *et al.*, 2020). Most recently, the increase in the use of social media, has unwillingly enabled thousands of people to potentially contribute to the conservation of endangered species (Sullivan *et al.*, 2019).

Social media has been used previously in Greece to collect information on the status of specific elasmobranchs (Giovos *et al.*, 2018; 2019; 2020). Considering however the dearth of information on sharks as a group, the overarching goal of this study was to use social media in order to inform the overall conservation of sharks in Greece, specifically through exploring Facebook, Twitter and YouTube posts about sharks. We aimed at a) collecting data on the occurrence of different shark species and basic biological parameters (e.g., sex, age, weight, length), and b) collecting baseline information on shark – fisheries interactions. The results of our study are

discussed in view of the conservation status of sharks in the country.

## Methods

All data for this study were obtained from the social media platforms Facebook, Twitter and YouTube following their terms and conditions for protecting their users. Monitoring sharks (i.e., Elasmobranchii, Infraclass Selachii) in Greece was carried out by searching regularly for the following hashtags “Καρχαρίας”, “Καρχαριοειδής”, “Γαλέος”, “Σκυλόψαρο”, “Αλεποκαρχαρίας”, “Σμπρίλιος”, “Σαπουνάς”, “Προσκυνητής” and “Εξαβράγχιος” (Note: all the hashtags used in the study are used in Greece as local common names for the word shark or are the names of some of the most common species). The use of hashtags made it easier to search and filter information from the web (Kim *et al.*, 2016). In Facebook and YouTube the hashtag search occurred every 2-3 days, using the filter “Date posted” in order to identify the most

**Table 1b.** Descriptive information of the social media postings on sharks collected in Greece (2017 – 2019), including the species they referred to and additional information related to the postings, referring (whenever available) to the maturity stage, sex and the approximate total length, weight and depth at which the shark was potentially caught.

Species	Additional Information
<b>Threatened species</b>	
<i>Alopias superciliosus</i>	1 adult of 3 m length
<i>Alopias vulpinus</i>	1 specimen of 200kg, caught at 130m depth; 1 juvenile female of 1m length, weighing 15kg; 1 adult female of 2m length, weighing 200kg
<i>Carcharhinus plumbeus</i>	1 adult female weighing 75kg, caught at 33m depth
<i>Dalatias licha</i>	1 adult caught at 612m depth
<i>Isurus oxyrinchus</i>	2 specimens weighing 20 and 19.5kg respectively; 1 specimen caught at 140m depth; 1 juvenile female of 0.8m length, weighing 5kg, caught at 70m depth
<i>Mustelus mustelus</i>	4 specimens weighing 10, 25, and 30kg respectively, 1 adult female caught at 14m depth; 1 adult female of 1m length; 1 adult female of 0.8m length, weighing 2kg
<i>Oxynotus centrina</i>	1 adult female of 0.4m length, caught at 118m depth
<i>Prionace glauca</i>	1 specimen of 4kg; 1 specimen weighing 2kg, caught at 90m depth; 1 specimen of 5kg, caught at 36m depth; 1 juvenile male; 1 adult female of 2.5m length
<b>Near Threatened species</b>	
<i>Scyliorhinus stellaris</i>	1 juvenile of 0.5m length, caught at 55m depth
<b>Least Concern species</b>	
<i>Hexanchus griseus</i>	1 specimen of 200kg; 1 juvenile weighing >150kg; 1 juvenile female of 2.5m length, weighing 220kg; 1 adult female of 5m length, weighing 400kg; 1 adult weighing 300kg
<b>Data Deficient species</b>	
<i>Heptranchias perlo</i>	1 juvenile male caught at 237m depth
<i>Hexanchus nakamurai</i>	1 adult female of 4m length, weighing 436kg

recent posts. In Twitter searching for shark-related information occurred once a week. Every social media posting was followed up publicly, by contacting the people who had made the posts, in order to verify shark sightings and to collect, if possible, additional information: we tried to collect detailed information on the species [including information on the sex, maturity stage, size and weight of the individual(s) and potentially the depth at which they were caught], the date, location and circumstances of the sighting and the fate of the sharks. We used in the study only postings where the species of the observation was identified independently by two experienced observers.


## Results and Discussion

From 2017 – 2019 we recorded 116 social media postings referring to sharks in Greece; in 100 cases the shark referred to in the posting was identified to the lowest taxonomic level. Sixty four (64%) of these postings referred to threatened sharks (i.e., 13 species classified as Critically Endangered, Endangered and Vulnerable according to the IUCN Red Data List), 1 (1%) to a Near Threatened species, 28 (28%) to two species of Least Concern and 7 (7%) to three Data Deficient species, according to the IUCN shark assessment for the Mediterranean Sea (IUCN, 2020) (Table 1a). The majority of the shark species reported in social media postings had not been evaluated for the Greek Red Data Book (Table 1a), partly because of a lack of accurate data (Megalofonou,

2009). The observations of the sharks in these postings were located throughout Greece (Fig. 1) and all species had been recorded recently in the country (Papaconstantinou, 2014). Baseline information on the maturity stage, sex, length, weight and depth at which sharks were potentially caught were recorded for 12 species (Table 1b).

The majority of the postings (86%) collected during the study referred to animals, either caught during fishing or traded at fish markets/restaurants. Only a small percentage (5%) of sharks caught by professional fishers was reportedly released back to the sea. The effect of fishing on shark stocks has become the focus of considerable international and national concern (Megalofonou, 2009; Dulvy *et al.*, 2016). The results of our study indicate that fishing continues to affect endangered sharks in the region, which, if not controlled, could pose a significant threat to the conservation of sharks in Greece. The low percentage of sharks that were reported to have been released is an indication of the lack of knowledge, by both professional and recreational fishers, on the legal and conservation status of sharks and of their importance for marine ecosystems.

During data collection we recorded 22 cases where sharks were misidentified by fishers [most commonly as *Galeorhinus galeus* ( $N = 7$ ) and as *Cetorhinus maximus* ( $N = 7$ )]. Misidentification of sharks is not uncommon in Greece (Giovos *et al.*, 2020) and is most likely related to some degree to unintentional misidentification due to lack of expert knowledge, both by fishers and competent authorities (Giovos *et al.*, 2020), but also to deliberate



**Fig. 1:** Map indicating the location of 100 shark observations reported through social media postings in Greece (2017–2019) and 4 characteristic photographs of sharks from these postings. a) Locations of threatened sharks; b) Locations of non-threatened sharks; c) *Heptanchias perlo* from Zakynthos Island; d) *Hexanchus griseus* from Leukada Island; e) *Isurus oxyrinchus* from Chios Island; f) *Mustelus mustelus* from Lesbos Island.

substitution with the aim of providing a way for prohibited/protected sharks to enter the supply chain and to be sold to consumers (Pazartzi *et al.*, 2019; Giovos *et al.*, 2020). This fact, in conjunction with the low percentage of sharks released back to the sea with international and/or national trade restrictions indicates a lack of enforcement of shark-specific legislation.

Social media is used to share information with a broad public audience and has been accepted as an innovative tool for scientists to engage the public in outreach and conservation efforts (Bik & Goldstein, 2013; Sullivan *et al.*, 2019). Information gleaned from social media posts may be particularly beneficial for species that are difficult to monitor effectively across their range, resulting

in many financial and logistical hurdles to overcome in order to monitor a population (Witmer, 2005; Tulloch *et al.*, 2013). We believe that this is particularly the case for sharks in Greece. The results of our study add baseline knowledge on the occurrence of sharks in the country, while identifying and/or focusing on important conservation issues, such as the negative effects of fishing, the lack of implementation of shark-specific legislation and the misidentification of sharks in order to enter the local shark trade. On the other hand, the approach of using social media to inform conservation comes with shortcomings (e.g., misidentification of sharks by non-experts, inexact reporting of sighting locations or poor quality of photographs that makes proper species identification



difficult), which should be taken into account when developing scientific monitoring programs.

Considering that most information on sharks in Greece originates from surveys of fishing operations that are not carried out on a day-to-day basis, we believe that the monitoring of social media posts provides a valuable alternative to collecting important information for the conservation of sharks in Greece. Considering that most pelagic sharks are migratory species and that their effective management will require reliable data that can reflect migratory patterns (Megalofonou *et al.*, 2005), we believe that international efforts, such as the Mediterranean Elasmobranch Citizen Observations (<https://www.facebook.com/theMECOPproject/>) and Shark Pulse (<http://baseline3.stanford.edu/SharkPulse/>), that take advantage of the information provided by citizen scientists on social media benefit shark conservation. Such efforts should connect with scientific monitoring programs, such as the Mediterranean Large Elasmobranch Monitoring database (Mancusi *et al.*, 2020) and strive to link science with effective shark conservation in the eastern Mediterranean Sea.

## Acknowledgements

We would like to thank Athanasios Tsangalidis for his help in identifying shark species and contributing with data to the project and Miguel de Gabriel Hernando for his help in preparing the maps. We thank also two anonymous reviewers for valuable comments that improved the quality of the manuscript.

## References

- Bik, H.M., Goldstein, M.C., 2013. An introduction to social media for scientists. *PLoS Biology*, 11 (4), e1001535.
- Bonnet Lebrun, A.-S., Karamanlidis, A.A., De Gabriel Hernando, M., Renner, I., Gimenez, O., 2020. Identifying priority conservation areas for a recovering brown bear population in Greece using citizen science data. *Animal Conservation*, 23, 83-93.
- Butchart, S.H.M., Walpole, M., Collen, B., van Strien, A., Scharlemann, J.P.W. *et al.*, 2010. Global biodiversity: Indicators of recent declines. *Science*, 328, 1164-1168.
- Damalas, D., Megalofonou, P., 2010. Environmental effects on blue shark (*Prionace glauca*) and oilfish (*Ruvettus pretiosus*) distribution based on fishery-dependent data from the eastern Mediterranean Sea. *Journal of the Marine Biological Association of the United Kingdom*, 90 (3), 467-480.
- Damalas, D., Megalofonou, P., 2012. Occurrences of large sharks in the open waters of the southeastern Mediterranean Sea. *Journal of Natural History*, 46 (43-44), 2701-2723.
- Damalas, D., Vassilopoulou, V., 2011. Chondrichthyan by-catch and discards in the demersal trawl fishery of the central Aegean Sea (Eastern Mediterranean). *Fisheries Research*, 108 (1), 142-152.
- Davidson, L.N., Krawchuk, M.A., Dulvy, N.K., 2016. Why have global shark and ray landings declined: improved management or overfishing? *Fish and Fisheries*, 17 (2), 438-458.
- Dickinson, J.L., Shirk, J., Bonter, D., Bonney, R., Crain, R.L. *et al.*, 2012. The current state of citizen science as a tool for ecological research and public engagement. *Frontiers in Ecology and the Environment*, 10 (6), 291-297.
- Dulvy, N.K., Allen, D.J., Ralph, G.M., Walls, R.H.L., 2016. *The conservation of Sharks, Rays and Chimaeras in the Mediterranean Sea*. IUCN, Malaga, Spain.
- Ferretti, F., Myers, R.A., Serena, F., Lotze, H.K., 2008. Loss of large predatory sharks from the Mediterranean Sea. *Conservation Biology*, 22 (4), 952-964.
- Follesa, M.C., Marongiu, M.F., Zupa, W., Bellodi, A., Cau, A. *et al.*, 2019. Spatial variability of Chondrichthyes in the northern Mediterranean. *Scientia Marina*, 83S1, 81-100.
- Giovos, I., Arculeo, M., Doumpas, N., Katsada, D., Maximiadi, M. *et al.*, 2020. Assessing multiple sources of data to detect illegal fishing, trade and mislabelling of elasmobranchs in Greek markets. *Marine Policy*, 112, 103730.
- Giovos, I., Chatzisprou, A., Doumpas, N., Stoilas, V.O., Moutopoulos, D.K., 2018. Using unconventional sources of information for identifying critical areas for the endangered guitarfish in Greece. *Journal of the Black Sea/Mediterranean Environment*, 24 (1), 38-50.
- Giovos, I., Ganas, K., Garagouni, M., Gonzalvo, J., 2016. Social media in the service of conservation: a case study of dolphins in the Hellenic Seas. *Aquatic Mammals*, 42 (1), 12-19.
- Giovos, I., Stoilas, V.O., Al-Mabruk, S.A., Doumpas, N., Marakis, P. *et al.*, 2019. Integrating local ecological knowledge, citizen science and long-term historical data for endangered species conservation: Additional records of angel sharks (Chondrichthyes: Squatinidae) in the Mediterranean Sea. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 29 (6), 881-890.
- IUCN, 2020. *The IUCN Red List of Threatened Species. Version 2020-1*. <https://www.iucnredlist.org> (Accessed 17 January 2020)
- Kim, Y., Huang, J., Emery, S., 2016. Garbage in, garbage out: data collection, quality assessment and reporting standards for social media data use in health research, infodemiology and digital disease detection. *Journal of Medical Internet Research*, 18 (2), e41.
- Malhi, Y., Doughty, C.E., Galetti, M., Smith, F.A., Svenning, J. C. *et al.*, 2016. Megafauna and ecosystem function from the Pleistocene to the Anthropocene. *Proceedings of the National Academy of Sciences*, 113 (4), 838-846.
- Mancusi, C., Baino, R., Fortuna, C., De Sola, L., Morey, G., *et al.*, 2020. MEDLEM database, a data collection on large Elasmobranchs in the Mediterranean and Black seas. *Mediterranean Marine Science*, 21 (2), 276-288.
- Megalofonou, P., 2009. Fishes of the Sea. p. 38-41. In: *Red Data Book of the Threatened Animal Species of Greece*. Legakis A., Maragou, P. (Eds). Hellenic Zoological Society, Athens.
- Megalofonou, P., Yannopoulos, C., Damalas, D., De Metrio, G., Deflorio, M., 2005. Incidental catch and estimated discards of pelagic sharks from the swordfish and tuna fisheries in the Mediterranean Sea. *Fishery Bulletin*, 103 (4), 620-634.
- Myers, R.A., Worm, B., 2005. Extinction, survival or recovery of large predatory fishes. *Philosophical Transactions of the*

- Royal Society B: Biological Sciences*, 360, 13-20.
- Papaconstantinou, C., 2014. *Fauna Graeciae. An updated checklist of the fishes in the Hellenic Seas*. Monographs on Marine Sciences, 7, HCMR, Athens, 340 pp.
- Pazartzi, T., Siaperopoulou, S., Gubili, C., Maradidou, S., Loukovitis, D. *et al.*, 2019. High levels of mislabeling in shark meat—Investigating patterns of species utilization with DNA barcoding in Greek retailers. *Food Control*, 98, 179-186.
- Sullivan, M., Robinson, S., Littnan, C., 2019. Social media as a data resource for #monkseal conservation. *PLoS ONE*, 14 (10), e0222627.
- Tulloch, A., Possingham, H.P., Joseph, L.N., Szabo, J., Martin, T.G., 2013. Realising the full potential of citizen science monitoring programs. *Biological Conservation*, 165, 128-138.
- Witmer, G.W., 2005. Wildlife population monitoring: some practical considerations. *Wildlife Research*, 32 (3), 259-263.